#### Barrier contraception

\$0.50-1.50 /use

Male condom placed on penis before sex

Effectiveness 82-98% Action

Prevents sperm from entering

the vagina

Yes (except lambskin) STD Protection

\$5-10 /use

Female condom placed inside vagina before sex

Effectiveness 79-95% Action

Prevents sperm from

entering the vagina



(\$60-80/2) Diaphragms placed on cervix by you before sex. Fitted by doctor. Needs to be combined with spermicide

Effectiveness 88-94%

Prevents sperm from entering the uterus Action

STD Protection Some

Must remain in place for 6-8 hours after sex May be less effective after vaginal delivery

Can be difficult to learn placement \*NOTE: even barrier protection does not completely protect against

Genital Herpes, Genital warts, pubic lice or other diseases passed on through contact.

\*NOTE: effectiveness of all barrier methods are increased by combining with spermicides.

# **Natural Family Planning**

Effectiveness	76- 99.6%
Action	Uses methods such as cervical mucous,
	temperature, cervix or calendar to
	predict and avoid fertile times
STD protection	None

#### Hormonal Contraceptives: Most contain both

estrogen and progesterone. \*SE: nausea, headaches, spotting, blood clots. Should not be used by women over 35 and smoking

\*Prices per month

\$10-25

\$20

The pill: take a pill once a day

91-99.7% Effectiveness Stops ovulation, thickens mucous to stop Action sperm STD Protection None

Gives menstrual control and decreases symptoms PMS Must be taken regularly within the same 30 min each day

The ring: Insert into vagina yourself once a month

Effectiveness	91-99.7%
Action	Stops ovulation, thickens mucous to stop
	sperm
STD Protection	None

Gives menstrual control and decreases symptoms PMS May cause some vaginal irritation

The patch: patch on skin, replace every week

Effectiveness 91-99.7% Stops ovulation, thickens mucous to stop Action sperm STD Protection None

May cause skin irritation, does not often fall off Gives menstrual control and decreases symptoms PMS

<sup>′</sup>\$40/3m The injection: Injection once every 3 months

Effectiveness 94-99.8% Prevents ovulation, thickens mucous to Action stop sperm, thins uterus lining to prevent implantation STD Protection None

Does not contain estrogen. Stops period. Delayed return to fertility. Weight gain, decreases bone density

#### Intra Uterine Devices (IUD)

Inserted into the uterus by your doctor and then removed when finished.

\$50-80/5-10y Copper (Liberté, FlexiT, NovaT) \$180/3y Effectiveness 99.2-99.4% changes uterus lining to preven Action implantation, kills sperm STD Protection None

\$360/5 years \$290/3 years	Hormonal (mirena, jaydess)
Effectiveness	99.8%
Action	Thickens mucous to stop sperm, thins
	uterus lining to prevent implantation
STD Protection	None

May reduce/stop bleeding. Progesterone only

May increase menstrual bleeding and cramps

\*is risk of bleeding, infection, perforation and expulsion with insertion

Nexplanon (similar to hormonal IUD) Implanted in arm skin (99% effective) - \$350/3yrs

### Permanent

Tubal Ligation – female internal procedure

Effectiveness 99.9%

Vasectomy – male external procedure

Effectiveness 99.5%

## **During Breastfeeding:**

Contraceptives that contain estrogen can decrease breast milk

- o Any form of intrauterine device, barrier or natural contraception will not affect breast milk
- Hormonal contraceptives: progesterone only options are available such as the injection and the "mini-pill" micronor (Effectiveness 90-99.5%. Needs to be taken within a 15min window daily. Action: thickens mucous to stop sperm, impairs sperm motility. STD protection: none. Price: \$20/month)
- Breast feeding: can be up to 98% effective if
  - more than three quarters of all feeds are exclusive breast milk
  - you are less than 6 months postpartum
  - you have not yet had your period